



Woodscape
DOORS - PLY - BOARDS

India's
Finest Doors,
Crafted for You
With Style

Designer Door
Catalogue

Volume #1







Woodscape

DOORS - PLY - BOARDS

Elevate

Y O U R S P A C E

Welcome to Woodscape,

the latest addition to Anand Enterprises' esteemed portfolio. Woodscape brings you an extensive selection of stunning and robust decorative doors.

Woodscape decorative doors embody precision, offering an exquisite balance of strength, dimensional stability, and remarkable impact resistance. Designed to provide matchless security, protection, and privacy, our doors are customized to meet the diverse needs of consumers, be it for residential or commercial use.

CONTENTS

- 6 - 15** GHANA TEAK DOORS
- 16 - 31** PREMIUM VENEER DOORS
- 32 - 37** DESIGNER TEAK VENEER DOORS
- 38 - 45** GROOVED TEAK VENEER DOORS
- 46 - 57** LAMINATE CUT & PASTE COMBO
- 58 - 65** LAMINATE CUT & PASTE UNI
- 66 - 69** LAMINATE UNI DOORS
- 70 - 78** LAMINATE UNI-CNC
- 79 - 82** MOULDED SKIN DOORS
- 83 - 95** WHITE DOORS



Woodscape

DOORS - PLY - BOARDS


For your
Elegant
Home

Ghana Teak Doors

Product Description

Experience luxury and timeless beauty with our Teak Designer Doors. Crafted from high-quality teak wood, these doors showcase exquisite designs that seamlessly blend sophistication with natural elegance, making them the perfect statement piece for any home. Elevate your surroundings with the richness of Teak Designer Doors.

Note: Burma Teak available against order.





GT - 01

Features

- 100% Teak Wood Door
- Kiln Seasoned Wood
- Tenon & Mortise Joinery in doors for extra strength

Specifications

Thickness : 30mm

Purpose : Internal & External

Available Sizes

Custom sizes available against orders





GT - 02



GT - 03



GT - 04



GT - 05



GT - 06



GT - 07



GT - 08



GT - 09



GT - 10



GT - 11



GT - 12



GT - 13



GT - 14



GT - 15



GT - 16




GT - 17

Premium Veneer Doors

Product Description

Premium veneer doors are high-quality doors crafted using fine veneer wood that offers exceptional aesthetics, durability, and performance. These doors are made with a thin, high-grade layer of natural wood veneer over a solid core, often featuring a carefully selected wood species and a superior finish. Premium veneer doors are designed to provide the luxury and elegance of solid wood doors while being more cost-effective, lighter, and versatile.





PVD - 01

Features

- Calibrated material
- Hot Pressed
- BWP grade
- Eco – Friendly
- Kiln seasoned
- Gratifying look
- Durability

Specifications

Thickness : 30 mm

Purpose : Internal & External

Back side : Matching veneer plain

Available Sizes

We provide doors of all sizes & thicknesses





PVD - 02



PVD - 03



PVD - 04



PVD - 05



PVD - 06



PVD - 07



PVD - 08



PVD - 09



PVD - 10



PVD - 11



PVD - 12



PVD - 13



PVD - 14



PVD - 15



PVD - 16




PVD - 17



PVD - 18




PVD - 19



PVD - 20




PVD - 21



PVD - 22



PVD - 23



PVD - 24



PVD - 25




PVD - 26




PVD - 27





PVD - 28



PVD - 29

Designer Teak Veneer Doors

Product Description

Designer Teak Veneer Door Feature premium Teak Veneer, Expertly crafted into elegant and Durable Door Designs. These Doors combine the Natural Beauty of teak with precision engineering, offering a sophisticated and long-lasting solution for interiors.





DTV - 01



DTV - 02



DTV - 03




DTV - 04



DTV - 05



DTV - 06



DTV - 07



DTV - 08



DTV - 09



DTV - 10




Grooved Teak Veneer Doors

Product Description

Groove Teak Veneer Door features a natural teak veneer finish with precision CNC groove patterns for a rich, elegant look. It offers durability, a premium wood feel, and can be polished or stained for customization. Ideal for luxury homes, offices, and commercial spaces, enhancing interiors with timeless charm.





GTV - 01



GTV - 02



GTV - 03



GTV - 04





GTV - 05




GTV - 06



GTV - 07



GTV - 08



GTV - 09




GTV - 10



GTV - 11



GTV - 12



GTV - 13



GTV - 14

Laminate Cut & Paste Combo

Product Description

Doors feature a precision-engineered fusion of multiple laminate finishes, offering seamless design continuity. Crafted with high-pressure laminates, they ensure superior durability, impact resistance, and dimensional stability. Ideal for high-traffic residential and commercial applications, these doors provide enhanced aesthetic versatility with long-lasting performance





LCC - 01

Features

- Calibrated material
- Hot Pressed
- BWP grade
- Eco – Friendly
- Kiln seasoned
- Gratifying look
- Durability

Specifications

Thickness : 30 mm

Purpose : Internal

Front side : As per customer
requirement from
folder

Back side : Wenge shade
Laminate

thickness : 0.8 mm

Available Sizes

79 x 32 / 81 x 32

We provide doors of 9x4 & 10x4 size
in few specific item and designs
and also other thickness and sizes
available on bulk request.





LCC - 02



LCC - 03



LCC - 04



LCC - 05



LCC - 06



LCC - 07



LCC - 08



LCC - 09



LCC - 10



LCC - 11




LCC - 12



LCC - 13



LCC - 14




LCC - 15



LCC - 16



LCC - 17



LCC - 18



LCC - 19



LCC - 20



LCC - 21

Laminate Cut & Paste Uni

Product Description

Laminate Cut & Paste Uni Doors offer a perfect blend of style, durability, and affordability. A single laminate is carefully cut and pasted to create the required design, ensuring a seamless and elegant finish. Scratch-resistant and moisture-proof, these door are ideal for homes, offices and commercial spaces.





LCU - 01



LCU - 02



LCU - 03



LCU - 04






LCU - 05



LCU - 06




LCU - 07



LCU - 08



LCU - 09



LCU - 10



LCU - 11



LCU - 12



LCU - 13



LCU - 14



Laminate Uni Doors

Product Description

Laminated Uni Doors offer a sleek, modern finish with durability and low maintenance. They are scratch, stain, and moisture-resistant, ensuring long-lasting performance. Available in various colors, textures, and customizable sizes. Ideal for residential, commercial, and hospitality spaces.

Note: Customized grooved designs can be created upon order.



LUD - 01

Features

- Calibrated material
- Hot Pressed
- BWP grade
- Eco – Friendly
- Kiln seasoned
- Gratifying look
- Durability

Specifications

Thickness : 30 mm

Purpose : Internal

Front side : As per customer
requirement from
folder

Back side : Wenge shade
Laminate

thickness : 0.8 mm

Available Sizes

79 x 32 / 79 x 36

81 x 26 / 81 x 32

Other thickness and sizes available
on bulk request.



LUD - 02



LUD - 03





LUD - 04



LUD - 05





Laminate UNI-CNC

Product Description

Laminate UNI CNC Door combines a sleek laminate finish with precision CNC groove patterns for a stylish, modern look. It offers durability, scratch and moisture resistance, and is available in various designs. Ideal for homes, offices, and commercial spaces, adding elegance with customized detailing.

Note : Customized grooved designs can be created upon order.



LUI - 01

Features

- Calibrated material
- Hot Pressed
- BWP grade
- Eco – Friendly
- Kiln seasoned
- Gratifying look
- Durability

Specifications

Thickness : 30 mm

Purpose : Internal

Front side : As per customer requirement from folder

Back side : Wenge shade Laminate

thickness : 0.8 mm

Available Sizes

79 x 32 / 81 x 32

Other thickness and sizes available on bulk request.

We provide 9x4 &10x4 size doors





LUI - 02



LUI - 03




LUI - 04



LUI - 05



LUI - 06



LUI - 07



LUI - 8



LUI - 9




LUI - 10




LUI - 11






LUC - 12



LUC - 13



LUC - 14




LUC - 15

Moulded Skin Doors

Product Description

Moulded skin doors are an excellent choice for those seeking a stylish yet functional door solution. These doors feature a solid core covered with a high-quality, molded skin that replicates the look of traditional wood grain. Designed for durability and aesthetics, they are perfect for both residential and commercial applications. With their smooth finish and variety of designs, moulded skin doors can complement any interior décor while providing excellent sound insulation and security.



MSD - 01

Features

- Durability
- Low Maintenance
- Versatile Design
- Cost Effective
- Easy Installation

Specifications

Moulded skin doors are made with a solid core and a molded skin surface for enhanced durability. They come in custom sizes. These doors also provide good thermal and sound insulation properties.

Available Sizes

Custom sizes available against orders





MSD - 02



MSD - 03





MSD - 04



MSD - 05





Woodscape
PLY - DOORS - BOARDS



White Doors, Bold Statements

White Primer Doors

Product Description

Primer doors feature a smooth, pre-primed surface, ready for painting to match any decor. Made from durable materials, they offer excellent stability and performance for both residential and commercial spaces. Their minimalist design suits various styles, making them a versatile choice for any interior. Easy to install and maintain!

AVAILABLE SIZES

Custom sizes available
*All designs under this category are available in WPC category.

Product Description

WPC (Wood Polymer Composite) doors are eco-friendly, durable, and moisture-resistant, making them ideal for both interior and exterior use. Crafted from wood particles and polymer resins, these doors offer high strength, termite resistance, and minimal maintenance. Available in a variety of designs and finishes, WPC doors are perfect for modern, sustainable spaces.

FEATURES

- Eco-friendly material
- Termite and moisture resistant
- High strength and durability
- Minimal maintenance required
- Available in various designs and finishes
- Lightweight and easy to install
- Fire-retardant properties
- UV resistant
- Excellent insulation

SPECIFICATIONS

Thickness : 22 mm to 30 mm
Density : 480-650 kg/m³
Water absorption : Less than 2%
Fire : Class 1 (as per resistance industry standards)
Core : Wood Polymer material composite (WPC)

AVAILABLE SIZES

Standard and customizable sizes available.

WPC Doors

NFC Doors

Product Description


NFC (Natural Fibre Composite) doors are environmentally friendly, lightweight, and durable alternatives to traditional wooden or synthetic doors. Made by combining natural fibers like hemp or flax with polymers, these doors offer superior strength, sound insulation, and moisture resistance. They are a sustainable choice for both residential and commercial applications, providing an eco-conscious solution without compromising on performance or design.

SPECIFICATIONS

Thickness : 06 mm to 30 mm
Density : 650-700 kg/m³
Water absorption : Less than 2%
Fire : Class 1 (as per resistance industry standards)
Core : Natural Fibre Composite

AVAILABLE SIZES

Standard and customizable sizes available.




White Doors

DSN - 01




Woodscape
DOORS - PLY - BOARDS




DSN - 02



DSN - 03




DSN - 04



DSN - 05







DSN - 06



DSN - 07




DSN - 08




DSN - 09







DSN - 10



DSN - 11




DSN - 12




DSN - 13







DSN - 14



DSN - 15




DSN - 16



DSN - 17







DSN - 18



DSN - 19




DSN - 20




DSN - 21






DSN - 22



DSN - 23




DSN - 24




DSN - 25







DSN - 26



DSN - 27




DSN - 28




DSN - 29







DSN - 30



DSN - 31




DSN - 32




DSN - 33







DSN - 34



DSN - 35




DSN - 36




DSN - 37






DSN - 38



DSN - 39



DSN - 40



DSN - 41






WPC Frames

Product Description

WPC (Wood Plastic Composite) door and window frames offer a perfect blend of durability and style. Resistant to moisture, termites, and warping, they require minimal maintenance and are eco-friendly, made from recycled materials. With a variety of finishes that mimic wood, these frames enhance any space while providing long-lasting performance. Ideal for both residential and commercial applications!





Features

- Durability
- Low Maintenance
- Aesthetic Appeal
- Eco-Friendly
- Thermal & Sound Insulation

Available Sizes

- 2 x 1
- 3 X 2
- 4 X 2
- 4 X 2 ½
- 5 X 2 ½




Flush Doors


Product Description

Our flush doors are the epitome of simplicity and elegance, featuring a smooth, flat surface that complements any interior design. Crafted from high quality materials, these doors offer exceptional durability and stability, making them ideal for both residential and commercial spaces. Available in a variety of finishes, including natural wood and paint-grade options, they can easily blend into any décor. Designed for easy installation, our flush doors provide effective sound insulation while ensuring a seamless appearance. Enhance your interiors with a functional yet stylish choice that meets all your aesthetic and practical needs!





1. Pinewood Rail
2. Neemwood Batten
3. Neemwood Core
4. Face Veneer



Every door we create is a blend of craftsmanship, design, and durability, crafted to elevate your living spaces. With endless designs to choose from, we ensure there's a door for every dream and every home.



Woodscape
DOORS - FLY - BOARDS

Door Open to Endless Designs



DOORS

PREVIEW



Woodscape
DOORS - PLY - BOARDS



GT - 01



GT - 02



GT - 03



GT - 04



GT - 05



GT - 06



GT - 07



GT - 08



GT - 09



GT - 10



GT - 11



GT - 12



GT - 13



GT - 14



GT - 15



GT - 16



GT - 17



PVD - 01



PVD - 02



PVD - 03



PVD - 04



PVD - 05



PVD - 06



PVD - 07



PVD - 08



PVD - 09



PVD - 10



PVD - 11



PVD - 12



PVD - 13



PVD - 14



PVD - 15



PVD - 16



PVD - 17



PVD - 18



PVD - 19



PVD - 20



PVD - 21



PVD - 22



PVD - 23



PVD - 24



PVD - 25



PVD - 26



PVD - 27



PVD - 28



PVD - 29



DTV - 01



DTV - 02



DTV - 03



DTV - 04



DTV - 05



DTV - 06



DTV - 07



DTV - 08



DTV - 09



GTV - 10



GTV - 01



GTV - 02



GTV - 03



GTV - 04



GTV - 05



GTV - 06



GTV - 07



GTV - 08



GTV - 9




GTV - 10



GTV - 11



GTV - 12



GTV - 13



GTV - 14



GTV - 15



LCC - 01



LCC - 02



LCC - 03



LCC - 04



LCC - 05



LCC - 06



LCC - 07



LCC - 08



LCC - 09



LCC - 10



LCC - 11




LCC - 12



LCC - 13



LCC - 14



LCC - 15




LCC - 16



LCC - 17



LCC - 18



LCC - 19



LCC - 20



LCC - 21



LCU - 01



LCU - 02



LCU - 03



LCU - 04



LCU - 05



LCU - 06



LCU - 07



LCU - 08



LCU - 09



LCU - 10



LCU - 11



LCU - 12



LCU - 13



LCU - 14



LUD - 01



LUD - 02



LUD - 03



LUD - 04



LUD - 05



LUI - 01



LUI - 02



LUI - 03



LUI - 04



LUI - 05



LUI - 06



LUI - 07



LUI - 08




LUI - 09



LUI - 10



LUI - 11



LUI - 12



LUI - 13



LUI - 14



LUI - 15



MSD - 01



MSD - 02




MSD - 03



MSD - 04



MSD - 05



DSN - 01




DSN - 02



DSN - 03



DSN - 04




DSN - 05




DSN - 06




DSN - 07



DSN - 08



DSN - 09



* Custom Designs & Sizes Available on Request.
 * Colors Of The Product Shown In The Catalogue are only for Indication Purpose, Actual Product May Vary.

Installation & Fixing Instructions:

- ★ The Door Frame has to be fixed in 90° Angle
- ★ Do not trim more than 1" (25mm) on the Top & bottom of the Doors. Do not trim more than 1" (25mm) on the sides of Doors.
- ★ Lipping of teak, hardwood, PVC Head bidding fix on all the four sides has to be done compulsorily to prevent moisture absorption, wear & tear of the Door.
- ★ The door life increases by doing this. The applied warranty will become invalid if this instruction is not followed.
- ★ Do not cut the door for fixing glass at your end. Pl inform us about your requirement - we shall cut the door & give it to you.
 ½" (12mm) gap has to be maintained between bottom of the door & flooring (door frame) for the bathroom door.

INSTRUCTION

Engineered Veneer Doors: Engineered Veneer Doors cannot be fixed at places where it is being exposed to sunlight or rainwater.
 Do use latches on Bath Room doors & room doors. In case of emergency - It is easy to break the latch without causing much damage to the door.



Woodscape
DOORS - PLY - BOARDS